

**VALEX®****DIGITAL TESTER P4500**

1800161



## TECHNICAL DATA

CAPACITY (F)	<b>NO</b>	thermal probe	<b>SI</b>	nr fields of measure.	<b>5</b>
ALTERNATING CURRENT	<b>NO</b>	diode test	<b>SI</b>	maximum precision	<b>+ -1% / +2DGT</b>
DIRECT CURRENT	<b>SI</b>	transistor test	<b>SI</b>	maximum precision	<b>+ -0,8% / +2DGT</b>
RESISTANCE Ohm	<b>SI</b>	thermocouple type	<b>K</b>	max precision	<b>+ -1% / +2DGT</b>
temperature °C	<b>SI</b>	field + high e.o.s.	<b>10A</b>	max precision	<b>+ -2% / +2DGT</b>
ALTERNATING VOLTAGE	<b>SI</b>	field + high f.d.s.	<b>2Mohm</b>	maximum precision	<b>+ -0,5% / +2DGT</b>
DC VOLTAGE	<b>SI</b>	field + high e.o.s.	<b>+1000°C</b>	resolution	<b>10mA</b>
CHARACTER HEIGHT	<b>13</b>	field + high e.o.s.	<b>600V</b>	resolution	<b>100nA</b>
audio alert	<b>SI</b>	field + high f.d.s.	<b>600V</b>	resolution	<b>100mohm</b>
digital reading	<b>SI</b>	field + low s.d.f.	<b>2mA</b>	resolution	<b>1Kohm</b>
data memory	<b>NO</b>	field + low s.f.	<b>200ohm</b>	resolution	<b>1°C</b>
capacity measure	<b>NO</b>	field + low s.d.f.	<b>-40°C</b>	resolution	<b>1°C</b>
frequency measure	<b>NO</b>	field + low s.d.f.	<b>200V</b>	resolution	<b>1V</b>
resistance measure	<b>SI</b>	field + low s.d.f.	<b>200mV</b>	resolution	<b>100mV</b>
flow rate frequency	<b>450 Hz</b>	nr of meas fields.	<b>4</b>	resolution	<b>1V</b>
overload prot.	<b>SI</b>	nr of meas fields.	<b>5</b>	resolution	<b>0,1mV</b>
automatic scale	<b>NO</b>	nr fields of measure.	<b>2</b>		

## DESCRIPTION

Batteries included.

## DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



SPEC SHEET